

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.10.2018

Version number 19

Revision: 11.04.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- . **1.1 Product identifier**
- . **Trade name:** GRIFFON S-39 UNIVERSAL PASTA-R POT 200G\*12 L222
- . **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- . **Application of the substance / the mixture** Soldering flux
- . **1.3 Details of the supplier of the safety data sheet**
- . **Manufacturer(1)/Supplier(2):**  
1  
Bison International  
Dr.A.F.Philipsstraat 9  
NL-4462 EW Goes  
PO Box 160  
NL-4460 AD Goes  
tel. +31 88 3235700  
fax. +31 88 3235800  
e mail: sds@boltonadhesives.com
- . **Further information obtainable from:** Bison QESH
- . **1.4 Emergency telephone number:** +31 88 3235700

### SECTION 2: Hazards identification

- . **2.1 Classification of the substance or mixture**
- . **Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
STOT SE 3	H335 May cause respiratory irritation.

- . **2.2 Label elements**
- . **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- . **Hazard pictograms**



GHS07 GHS09

- . **Signal word** Warning
- . **Hazard-determining components of labelling:**  
zinc chloride

(Contd. on page 2)

GB-EN

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2018

Version number 19

Revision: 11.04.2018

**Trade name:** GRIFFON S-39 UNIVERSAL PASTA-R POT 200G\*12 L222

(Contd. of page 1)

**Hazard statements**

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves / eye protection.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P501 Dispose of contents/container in accordance with national regulations.

**==>> Labelling of packages where the contents do not exceed 125 ml**

**Hazard pictograms**



GHS07 GHS09

**Signal word** Warning

**Hazard-determining components of labelling:**

zinc chloride

**Hazard statements**

- H335 May cause respiratory irritation.

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P271 Use only outdoors or in a well-ventilated area.
- P501 Dispose of contents/container in accordance with national regulations.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

- PBT:** Not applicable.
- vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:** Soldering flux

**Dangerous components:**

CAS: 7646-85-7 EINECS: 231-592-0 Reg.nr.: 01-2119472431-44	zinc chloride ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; STOT SE 3, H335	10-25%
CAS: 12125-02-9 EINECS: 235-186-4 Reg.nr.: 01-2119487950-27	ammonium chloride ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	2.5-10%

(Contd. on page 3)

GB-EN

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.10.2018

Version number 19

Revision: 11.04.2018

**Trade name:** GRIFFON S-39 UNIVERSAL PASTA-R POT 200G\*12 L222

. **Additional information:** For the wording of the listed hazard phrases refer to section 16. (Contd. of page 2)

### SECTION 4: First aid measures

. **4.1 Description of first aid measures**

. **General information:** No special measures required.

. **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stable in side position for transportation.

. **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

. **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

. **After swallowing:** Do not induce vomiting; call for medical help immediately.

. **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

. **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

. **5.1 Extinguishing media**

. **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

. **5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

. **5.3 Advice for firefighters**

. **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

. **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

. **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

. **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

. **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

. **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

GB-EN

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.10.2018

Version number 19

Revision: 11.04.2018

**Trade name:** GRIFFON S-39 UNIVERSAL PASTA-R POT 200G\*12 L222

(Contd. of page 3)

- . **Information about fire - and explosion protection:** No special measures required.
- . **7.2 Conditions for safe storage, including any incompatibilities**
- . **Storage:**
- . **Requirements to be met by storerooms and receptacles:** No special requirements.
- . **Information about storage in one common storage facility:** Not required.
- . **Further information about storage conditions:** Keep receptacle tightly sealed.
- . **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- . **Additional information about design of technical facilities:** No further data; see item 7.

#### 8.1 Control parameters

- . **Ingredients with limit values that require monitoring at the workplace:**

##### 12125-02-9 ammonium chloride

WEL (Great Britain)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup>
---------------------	---

- . **Additional information:** The lists valid during the making were used as basis.
- . **8.2 Exposure controls**
- . **Personal protective equipment:**
- . **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- . **Respiratory protection:** Suitable respiratory protective device recommended.
- . **Protection of hands:**

Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- . **Material of gloves**

Recommended thickness of the material: > 0,12 mm  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Nitrile rubber, NBR
- . **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.  
For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).
- . **For the permanent contact gloves made of the following materials are suitable:**

Nitrile rubber, NBR

(Contd. on page 5)

GB-EN

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2018

Version number 19

Revision: 11.04.2018

**Trade name:** GRIFFON S-39 UNIVERSAL PASTA-R POT 200G\*12 L222

(Contd. of page 4)

. **Eye protection:**



Tightly sealed goggles

. **Body protection:** Use protective suit.

**SECTION 9: Physical and chemical properties**

. **9.1 Information on basic physical and chemical properties**

. **General Information**

. **Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	According to product specification
. <b>Odour:</b>	Characteristic
. <b>Odour threshold:</b>	Not determined.

. **pH-value at 20 °C:** 2

. **Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	100 °C

. **Flash point:** 191 °C

. **Flammability (solid, gas):** Not applicable.

. **Decomposition temperature:** Not determined.

. **Auto-ignition temperature:** Product is not selfigniting.

. **Explosive properties:** Product does not present an explosion hazard.

. **Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

. **Vapour pressure at 20 °C:** 1 hPa

. <b>Density at 20 °C:</b>	0.91 g/cm <sup>3</sup>
. <b>Relative density</b>	Not determined.
. <b>Vapour density</b>	Not determined.
. <b>Evaporation rate</b>	Not determined.

. **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

. **Partition coefficient: n-octanol/water:** Not determined.

. **Viscosity:**

<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Water:</b>	8.2 %

(Contd. on page 6)

GB-EN

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 06.10.2018

Version number 19

Revision: 11.04.2018

**Trade name:** GRIFFON S-39 UNIVERSAL PASTA-R POT 200G\*12 L222

(Contd. of page 5)

**9.2 Other information**

All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.

**SECTION 10: Stability and reactivity**

- . **10.1 Reactivity** No further relevant information available.
- . **10.2 Chemical stability**
- . **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- . **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- . **10.4 Conditions to avoid** No further relevant information available.
- . **10.5 Incompatible materials:** No further relevant information available.
- . **10.6 Hazardous decomposition products:** Danger of forming toxic pyrolysis products.

**SECTION 11: Toxicological information**

- . **11.1 Information on toxicological effects**
- . **Acute toxicity** Based on available data, the classification criteria are not met.
- . **LD/LC50 values relevant for classification:**

<b>7646-85-7 zinc chloride</b>		
Oral	LD50	350 mg/kg (rat)
<b>12125-02-9 ammonium chloride</b>		
Oral	LD50	1,650 mg/kg (rat)
- . **Primary irritant effect:**
- . **Skin corrosion/irritation**  
Causes skin irritation.
- . **Serious eye damage/irritation**  
Causes serious eye irritation.
- . **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- . **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- . **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- . **Carcinogenicity** Based on available data, the classification criteria are not met.
- . **Reproductive toxicity** Based on available data, the classification criteria are not met.
- . **STOT-single exposure**  
May cause respiratory irritation.
- . **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- . **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

- . **12.1 Toxicity**
- . **Aquatic toxicity:** No further relevant information available.
- . **12.2 Persistence and degradability** No further relevant information available.
- . **12.3 Bioaccumulative potential** No further relevant information available.
- . **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 7)

GB-EN

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2018

Version number 19

Revision: 11.04.2018

**Trade name:** GRIFFON S-39 UNIVERSAL PASTA-R POT 200G\*12 L222


(Contd. of page 6)

- . **Ecotoxicological effects:**
- . **Remark:** Toxic for fish
- . **Additional ecological information:**
- . **General notes:**  
Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms
- . **12.5 Results of PBT and vPvB assessment**
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- . **13.1 Waste treatment methods**
- . **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- . **Uncleaned packaging:**
- . **Recommendation:**  
Disposal must be made according to official regulations.  
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

\* **SECTION 14: Transport information**

- |  |   |
|--|---|
| . <b>14.1 UN-Number</b>                  |   |
| . <b>ADR/ADN, IMDG, IATA</b>             | UN3082  |
| . <b>14.2 UN proper shipping name</b>    |   |
| . <b>ADR/ADN</b>                         | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC CHLORIDE)              |
| . <b>IMDG</b>                            | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC CHLORIDE), MARINE POLLUTANT |
| . <b>IATA</b>                            | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC CHLORIDE)                   |
| . <b>14.3 Transport hazard class(es)</b> |   |
| . <b>ADR/ADN</b>                         |   |
|  |    |
| . <b>Class</b>                           | 9 (M6) Miscellaneous dangerous substances and articles.                               |

(Contd. on page 8)

GB-EN

**Safety data sheet**  
according to 1907/2006/EC, Article 31


Printing date 06.10.2018

Version number 19

Revision: 11.04.2018

**Trade name:** GRIFFON S-39 UNIVERSAL PASTA-R POT 200G\*12 L222

(Contd. of page 7)

. Label	9
. IMDG, IATA	
	
. Class	9 Miscellaneous dangerous substances and articles.
. Label	9
. 14.4 Packing group	
. ADR/ADN, IMDG, IATA	III
. 14.5 Environmental hazards:	
	Product contains environmentally hazardous substances: zinc chloride
. Marine pollutant:	
	Yes
. Special marking (ADR/ADN):	
	Symbol (fish and tree)
. Special marking (IATA):	
	Symbol (fish and tree)
. 14.6 Special precautions for user	
	Warning: Miscellaneous dangerous substances and articles.
. Danger code (Kemler):	
	90
. EMS Number:	
	F-A,S-F
. Segregation groups	
	Acids
. Stowage Category	
	A
. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	
	Not applicable.
. Transport/Additional information:	
. ADR/ADN	
. Limited quantities (LQ)	5L
. Excepted quantities (EQ)	
	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
. Transport category	3
. Tunnel restriction code	E
. IMDG	
. Limited quantities (LQ)	5L
. Excepted quantities (EQ)	
	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 9)

GB-EN



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 06.10.2018

Version number 19

Revision: 11.04.2018

**Trade name:** GRIFFON S-39 UNIVERSAL PASTA-R POT 200G\*12 L222

(Contd. of page 8)

- |                               |   |
|-------------------------------|---|
| <b>Remarks:</b>               | Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III.<br>See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2 |
| <b>UN "Model Regulation":</b> | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC CHLORIDE), 9, III   |

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Directive 2012/18/EU**
- Named dangerous substances - ANNEX I** None of the ingredients is listed.
- Seveso category E2** Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 65
- 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases**
  - H302 Harmful if swallowed.
  - H314 Causes severe skin burns and eye damage.
  - H319 Causes serious eye irritation.
  - H335 May cause respiratory irritation.
  - H400 Very toxic to aquatic life.
  - H410 Very toxic to aquatic life with long lasting effects.
- Department issuing SDS:** Bison QESH
- Contact:** Reach coördinator
- Abbreviations and acronyms:**
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - Acute Tox. 4: Acute toxicity – Category 4
  - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 10)

GB-EN



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2018

Version number 19

Revision: 11.04.2018

**Trade name:** GRIFFON S-39 UNIVERSAL PASTA-R POT 200G\*12 L222

(Contd. of page 9)

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

. \* **Data compared to the previous version altered.**

GB-EN